


Series DTEF 1652 145 PSI





partial section A-A



Position I: left filter-side in operation Position II: right filter-side in operation

Weight: approx. 344 lbs.

Dimensions: inches

Designs and performance values are subject to change.



Return Line Filter Series DTEF 1652 145 PSI

Description:

Return-line filter series DTEF 1652 have a working pressure up to 145 PSI. Pressure peaks will be absorbed by a sufficient margin of safety.

The DTEF-filters are directly mounted to the reservoir and connected to the return-line.

A rotary slide valve which is integrated in the middle of the housing makes it possible to switch from the dirty filter-side to the clean filter-side without interrupting

The filter element consists of a star-shaped, pleated filter material which is supported on the inside by a perforated core tube and is bonded to the end caps with a high-quality adhesive. The flow is from outside to inside.

For cleaning the stainless steel mesh element or changing the filterer element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after

For filtration finer than 40 µm use the disposable elements made of paper or microglass. Filter elements as fine as 5 µm(c) are available; finer filter elements on


Eaton filter elements are known as stable elements which have excellent filtration capabilities and a high dirt retaining capacity, therefore having a long service life.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

When changing the filter element, a detachable connection between the filter head and the filter bowl prevents dirty oil from flowing into the tank.

1. Type index:

1.1. Complete filter: (ordering example)



= pressure switch, see sheet-no. 1616

12 clogging indicator at M2:

possible indicators see position 11 of the type index

13 clogging indicator at M3:

possible indicators see position 11 of the type index


14 discharge pipe:

= without

= with discharge pipe

To add an indicator to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly

1.2. Filter element: (ordering example)



Accessories:

- gauge- and bleeder connections, see sheet-no. 1650
- drain- and bleeder connections, see sheet-no. 1651
- SAE-counter flange, see sheet-no. 1652

Technical data:

operating temperature: +14°F to +212°F

operating medium mineral oil, other media on request

max. operating pressure: 145 PSI opening pressure by-pass valve: 29 PSI

process connection: SAE-flange connection 3000 PSI

housing material standard: carbon steel, glass fiber reinforced polyamide (filter bowl) sealing material: Nitrile (NBR) or Viton (FPM), other materials on request

installation position: vertical volume tank: vertical 2x 5.8 Gal.

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

Pressure drop flow curves:

Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing Δp and the element Δp and is calculated as follows:

 Δp assembly = Δp housing + Δp element Δp housing = (see Δp = f (Q) - characteristics)

$$\varDelta p_{\, \textit{element}} \, (\textit{PSI}) = \; \; Q \, \left(\textit{GPM} \right) \, x \, \, \frac{\textit{MSK}}{1000} \left(\frac{\textit{PSI}}{\textit{GPM}} \right) x \; \, \nu \left(\textit{SUS} \right) \, x \, \, \frac{\rho}{0.876} \, \left(\frac{kg}{dm^3} \right)$$

For ease of calculation our Filter Selection tool is available online at www.eaton.com/hydraulic-filter-evaluation


Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in psi/gpm apply to mineral oil (HLP) with a density of 0.876 kg/dm³ and a kinematic viscosity of 139 SUS (30 mm²/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.

DTEF	VG					G			Р
	3VG	6VG	10VG	16VG	25VG	25G	40G	80G	10P
1652	0.214	0.149	0.095	0.083	0.057	0.0079	0.0073	0.0050	0.047

$\Delta p = f(Q) - characteristics according to ISO 3968$

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm³. The pressure drop changes proportionally to the density.



Symbols:

M2

МЗ

without indicator

M1

with by-pass valve

M2

МЗ

visual O

electric contact maker E1

electric contact breaker E5 electric maker/breaker E2









Spare parts:

item	qty.	designation	dimension	articl	article-no.		
1	6	filter element	01E.631				
2	2	filter head 1)					
3	6	filter bowl with discharge pipe 1)					
	6	filter bowl without discharge pipe 1)					
4	2	filter cover 1)					
5	2	O-ring	355 x 5	314740 (NBR)	314739 (FPM)		
6	6	O-ring	120 x 4	305300 (NBR)	307991 (FPM)		
7	2	gasket	430 x 350 x 2	317271 (NBR)	316659 (FPM)		
8	2	O-ring	63 x 3,5	311189 (NBR)	311592 (FPM)		
9	2	O-ring	150 x 4	313278 (NBR)			
10	2	O-ring	24 x 3	303038 (NBR)	304397 (FPM)		
11	2	O-ring	110,72 x 3,53	316355 (NBR)	316356 (FPM)		
12	1	clogging indicator, visual	0	see sheet	see sheet-no. 1616		
13	1	pressure switch, electric	E1, E2 or E5	see sheet	see sheet-no. 1616		

¹⁾ in case of ordering these spare parts use the complete type index

Test methods:

Filter elements are tested according to the following ISO standards:

ISO 2941 Verification of collapse/burst resistance ISO 2942 Verification of fabrication integrity

ISO 2943 Verification of material compatibility with fluids

ISO 3723 Method for end load test

Verification of flow fatigue characteristics ISO 3724

ISO 3968 Evaluation of pressure drop versus flow characteristics ISO 16889 Multi-pass method for evaluating filtration performance

North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

Greater China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Asia-Pacific

100G Pasir Panjang Road #07-08 Interlocal Centre

Singapore 118523 Tel: +65 6825-1668

For more information, please email us at filtration@eaton.com or visit www.eaton.com/filtration

© 2021 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

