
# Sheet No. 1066 G

# Series TRS 625 145 PSI



Weight: approx. 15 lbs.



Dimensions: inches Designs and performance values are subject to change.

# **Return Line Filter** Series TRS 625 145 PSI

# **Description:**

Return-line filters in the TRS 625 series are suitable for a working pressure up to 145 PSI. Pressure peaks will be absorbed by a sufficient margin of safety.

TRS series are tank-top mounted in-line filters. In addition to the return-line connection, they have a suction connection on the clean-side. This suction connection has a preload pressure (fitting pressure) of ≥ 7.25 PSI.

This combination, return-line and suction filter, is for hydraulic circuits which are equipped with a minimum 2 feed pumps (2 hydraulic circuits). The preload suction connection is for the full volume flow filtration of the pump with the smaller volume flow.

The operating status in general wherein the preload pressure is effective the  $~Q_{R}$  (return-line flow)  $>~Q_{S}$ When the operating status is  $Q_R = Q_S$  no preload pressure is effective.

For circuits wherein the operating status  $Q_R < Q_S$ appears for a short time, the suction valve operates and as a result a feeding out of the vessel is possible without preload pressure and without filter effect.

The filter element consists of star-shaped, pleated filter material, which is supported on the inside by a perforated core tube and is bonded to the end caps with a high-quality adhesive. The flow direction is from outside to inside.

For cleaning the stainless steel mesh element or changing the filterer element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning.

Filters finer than 40 µm use the disposable elements made of paper or microglass. Filter elements as fine as 5 µm(c) are available; finer filter elements on request.

Eaton filter elements are known as stable elements which have excellent filtration capabilities and a high dirt retaining capacity, therefore having a long service life. Due to its practical design, the return-line filter is easy to service.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

When changing the filter element, a detachable connection between the filter head and the filter bowl prevents dirty oil from flowing into the tank.

# 1. Type index:

# ...

| 1.1 | . Complete filter: (ordering example)   |
|-----|---|
| 1   | <b>RS. 625. 10VG. 10. B. P FS. 8</b><br>1   2   3   4   5   6   7   8   9   1   |
|     | 2,5. Z. O. E2   |
| 1   | 11   12   13   14   |
| 1   | series:   |
|     | TRS = tank-mounted return-line filter<br>with suction connection                |
| 2   | nominal size: 625   |
| 3   | filter-material:  |
|     | 80G, 40G, 25G stainless steel wire mesh   |
|     | 25VG, 16VG, 10VG, 6VG, 3VG microglass<br>10P paper                              |
| 4   | filter element collapse rating:   |
|     | 10 = Δp 145 PSI   |
| 5   | filter element design:  |
|     | B = both sides open   |
| 6   | sealing material:   |
|     | P = Nitrile (NBR)<br>V = Viton (FPM)  |
| 7   | filter element specification:   |
| 1   | - = standard  |
| 8   | process connection:   |
|     | FS = SAE-flange connection 3000 PSI   |
| 9   | process connection size:  |
|     | 8 = 2"  |
| 10  | •   |
| 4 A | - = standard<br>internal valve:   |
| 11  | S2,5 = with by-pass valve $\Delta p$ 36 PSI                                     |
| 12  | suction valve:  |
|     | Z = with suction valve  |
| 13  | clogging indicator at M1:   |
|     | - = without   |
|     | O = visual, see sheet-no. 1616<br>E1 = pressure switch, see sheet-no. 1616      |
|     | E2 = pressure switch, see sheet-no. 1616  |
|     | E5 = pressure switch, see sheet-no. 1616  |
| 14  |   |
|     | <ul> <li>= without</li> <li>E2 = pressure switch, see sheet-no. 1616</li> </ul> |
|     | E2 = pressure switch, see sheet-no. 1616  |

To add an indicator to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

### 1.2. Filter element: (ordering example)

|   |   | 10VG. |   | _ |   |   |  |
|---|---|-------|---|---|---|---|--|
| 1 | 2 | 3     | 4 | 5 | 6 | 7 |  |
|   |   |       |   |   |   |   |  |

1 series:

01E = filter element according to company standard nominal size: 625 2

3 - 7 see type index-complete filter

# **Technical data:**

operating temperature: +14°F to +212°F mineral oil, other media on request operating medium max. operating pressure: 145 PSI 36 PSI opening pressure by-pass valve: opening pressure preload valve: 7.25 PSI opening pressure suction valve: .72 PSI line adapter: SAE 2" and 1 1/2" 3000 PSI housing material: Al-casting, glass fiber reinforced polyamide (filter bowl) Nitrile (NBR) or Viton (FPM), other materials on request sealing material: installation position: vertical volume tank: 1.0 Gal.

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

# Pressure drop flow curves:

#### Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing  $\Delta p$  and the element  $\Delta p$  and is calculated as follows:

 $\Delta p$  assembly =  $\Delta p$  housing +  $\Delta p$  element  $\Delta p$  housing = (see  $\Delta p = f(Q)$  - characteristics)

$$\Delta p \text{ element (PSI)} = Q (GPM) x \frac{MSK}{1000} \left(\frac{PSI}{GPM}\right) x v (SUS) x \frac{\rho}{0.876} \left(\frac{kg}{dm^3}\right)$$

For ease of calculation our Filter Selection tool is available online at www.eatonpowersource.com/calculators/filtration/


#### Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in psi/gpm apply to mineral oil (HLP) with a density of 0.876 kg/dm<sup>3</sup> and a kinematic viscosity of 139 SUS (30 mm<sup>2</sup>/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.


| TRS | VG    |       |       |       |       | G      |        |        | Р     |
|-----|-------|-------|-------|-------|-------|--------|--------|--------|-------|
|     | 3VG   | 6VG   | 10VG  | 16VG  | 25VG  | 25G    | 40G    | 80G    | 10P   |
| 625 | 0.696 | 0.483 | 0.309 | 0.269 | 0.184 | 0.0236 | 0.0220 | 0.0151 | 0.142 |

#### $\Delta p = f(Q) - characteristics according to ISO 3968$

The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm<sup>3</sup>. The pressure drop changes proportionally to the density.



# Symbols:



# Spare parts:

| item | qty. | designation                        | Abmessung       | article-no.        |              |  |
|------|------|------------------------------------|-----------------|--------------------|--------------|--|
| 1    | 1    | filter element                     | 01E.625         |                    |              |  |
| 2    | 1    | filter bowl with valve combination |                 |                    |              |  |
| 3    | 1    | filter cover                       |                 |                    |              |  |
| 4    | 1    | filter head                        |                 |                    |              |  |
| 5    | 1    | O-ring                             | 135 x 3,5       | 318386 (NBR)       | 318387 (FPM) |  |
| 6    | 1    | O-ring                             | 120 x 4         | 305300 (NBR)       | 307991 (FPM) |  |
| 7    | 1    | O-ring                             | 125 x 3         | 306025 (NBR)       | 307358 (FPM) |  |
| 8    | 1    | O-ring                             | 140 x 3         | 304604 (NBR)       | 307514 (FPM) |  |
| 8    | 2    | O-ring                             | 63 x 3,5        | 311189 (NBR)       | 311592 (FPM) |  |
| 10   | 1    | clogging indicator at M1           | O, E1, E5 or E2 | see sheet-no. 1616 |              |  |
| 11   | 1    | preload pressure indicator at M2   | E2              | see sheet-no. 1616 |              |  |

## **Test methods:**

Filter elements are tested according to the following ISO standards:

| ISO 2941  | Verification of collapse/burst resistance               |
|-----------|---|
| ISO 2942  | Verification of fabrication integrity                   |
| ISO 2943  | Verification of material compatibility with fluids      |
| ISO 3723  | Method for end load test                                |
| ISO 3724  | Verification of flow fatigue characteristics            |
| ISO 3968  | Evaluation of pressure drop versus flow characteristics |
| ISO 16889 | Multi-pass method for evaluating filtration performance |

#### North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

#### Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

#### China

No. 7, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

Singapore 100G Pasir Panjang Road #07-08 Singapore 118523 Tel: +65 6825-1668

#### Brazil

Rua Clark, 2061 - Macuco 13279-400 - Valinhos, Brazil Tel: +55 11 3616-8400

#### For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2019 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

